



The Power to Surprise

Body colours & wheels



Platinum Graphite



Gravity Blue



Aluminium Silver



Snow White Pearl



Aurora Black Pearl



Runway Red



17" Alloy wheel

Specifications

MODEL	EV 200	EV 455
MODEL Type of motor	EX 289 EX 455 Permanent Magnet Synchronous Motor	
	100 kW @ 2,600 - 8,000 rpm	150 kW @ 3,800 - 8,000 rpm
Maximum power Maximum torque	395 Nm @ 0 - 2,400 rpm	395 Nm @ 0 - 3,600 rpm
CO ₂ emissions TRANSMISSION	0g / km	
	Single speed reduction gear	
Gearbox		
Final gear ratio (constant)	8.200	b : I
RECOMMENDED RANGE	2001	AFF
Maximum range	289 km*	455 km*
Maximum speed	155 kph	167 kph
0-100 kph	9.8 sec	7.8 sec
HIGH VOLTAGE BATTERY		
Voltage	327 V	356 V
Capacity	39.2 kWh 64 kWh	
Thermal management system	Liquid coolir	ng system
DN BOARD CHARGER		
Maximum power	7.2 k	kW .
CHARGING TIME"		
Frickle charge - 3-pin home charger	18 hours recharge up to 100%	29 hours recharge up to 100%
AC normal charge – home / public charger	6 hours 10 minutes recharge up to 100%	9 hours 35 minutes recharge up to 100%
OC fast charge – public charger	57 minutes recharge up to 80%	75 minutes recharge up to 80%
CHARGING CABLES / INPUT		
Charging cable with ICCB (In-Cable Control Box) included - for home charging	X	X
Type 2 to Type 2 Mennekes cable included - for AC public charging	X	X
SUSPENSION		
Front suspension	McPherso	on strut
Rear suspension	Multi-	-link
NHEELS & TYRES		
Tyres / wheels	215 / 5	5 R17
Wheel size / type	17" alloy	
Spare wheel type	Temporary mobility kit	
Braking system	305mm ventilated front discs, 300mm solid rear discs with ABS, ESC, VSM, & HAC	
Electric parking brake	X	X
STEERING		
Steering system	Motor Driven Power Steering (MDPS)	
Minimum turning radius	5.3 m	
Steering wheel adjustment	Tilt & telescopic	
SAFETY FEATURES		
Safety Rating	Yet to be rated	
Autonomous Emergency Braking (AEB)	with car, pedestrian & cyclist detection	
ane Keep Assist System (LKAS)	X	X
ane Following Assist (LFA)	X	X
Blind Spot Detection (BSD)	X	×
Rear Cross Traffic Alert (RCTA)	X	×
Smart Cruise Control (SCC)	with sto	
	X	у х у у У X
Speed Limiter		
Electronic Stability Control (ESC)	X	X
Hill-start Assist Control (HAC)	X	X
/ehicle Stability Management (VSM)	X	X
Emergency Stop Signal (ESS)	X	X
ABS brakes with EBD & BA	X	X
Oual front & side airbags	X	X
Oual side curtain airbags	X	X
Oriver's knee airbag	X	Х
Tyre Pressure Monitoring System (TPMS)	X	X
Engine immobiliser	X	X
Seatbelt reminders for all seats	X	X
	X	X
2 x ISOFIX child seat anchors	^	
2 x ISOFIX child seat anchors 3-point ELR seatbelts on all seats	X	X

Speed second parts above field	SAFETY FEATURES CONTINUED	EX 289	EX 455
Person for any particular sequence	Speed sensing auto door lock	X	X
Fine of sering parking amones on the dynamic guidelines	Impact sensing auto door unlock	X	X
March Mar	Remote keyless entry	X	X
Print StrUBS Print StrUB Print StrUB	Front & rear parking sensors	X	X
Proof to displays	Rearview camera with dynamic guidelines	X	X
Like digitation auroning lights X X Chorant sall lights X X Front foil lurions X X Likit zura foil lights X X Front foil lurions X X Sold partners Electrically adjustable, hoster & fooling with Lib rolators Boes again with high-recounted EFD roaks light X X Acceptable allowers X X Acceptable allowers X X Acceptable allowers X X South for all (inco.) alloy) X X Acceptable allowers X X South for all (inco.) alloy) X X Acceptable allowers X X South for all (inco.) all (inco.) all (inco.) allowers X X South for all (inco.) all (inc	EXTERIOR FEATURES		
Finance Finance X	Front headlights	Bi-function halog	en projector type
Each ray paraget	LED daytime running lights	X	X
Side native	LED rear tail lights	X	X
Side mirrors Filtertrially adjustable, hastard & folding with LD indicators Rainer goaline with Inglemented ED brake light X X Common outside bendees X X Accreated wisere X X Softer calls (most Dis) X X NETABLE STATUTES SUSTICUTE STATUTES Seat trim Composite tour tour electrons Height adjustable driver's seat X X Height adjustable driver's seat X X Composite lastiver stearing wheal X X Richard graph and file (in-chair) X X Sold Ough Edding rear seat X X Robot seat for folding rear seat X X Robot seat folding rear seat X X Robot seat folding rear seat X X Robot seat folding rear seat </td <td>Front fog lamps</td> <td>X</td> <td>X</td>	Front fog lamps	X	X
Rear spoker with high-mounted LEO Brake light	LED rear fog lamps	X	X
Ehrome outside handles X X Agrobated wayers X X Officials (max 100 kg) X X INTERCATURES Seat from Seat from Height adjustable driver's seat X X X Height adjustable forther's seat X X X Eleght adjustable forther species of seat X X X Composite leather steering wheel X X X Rating ages affet failed carbity X X X Rating ages affet failed (seather) X X X Color (accordance) X X X X Color (accordance) X X X X	Side mirrors	Electrically adjustable, heated & folding with LED indicators	
Ascendation injuries X X X Roof rall formacilO (apr) X </td <td>Rear spoiler with high-mounted LED brake light</td> <td>X</td> <td>X</td>	Rear spoiler with high-mounted LED brake light	X	X
Note of task (max. 100 kg) X X Witherior Sex (Without Sex (Without Sex)) Seat store (Composite Fer cloth) Seat time Composite Fer cloth Height adjustable of river's seat X X Uniform Sex (Without Sex) X X Composite Leaffer's Seat X X X Uniform Sex (Without Sex) X X X Relating and just all design High X X X X Bland up gas with fill design High X </td <td>Chrome outside handles</td> <td>X</td> <td>X</td>	Chrome outside handles	X	X
Seat to configuration S = Seat to Configuration X	Aeroblade wipers	X	X
Seat time Cereposite bather + cloth Seat time Cereposite bather + cloth Height adulystable front passenger's seat X X X Composite leather steering wheel X <	Roof rails (max.100 kg)	X	X
Seat trim Composite leather's seat X X Height adjustable driver's seat X X X Composite leather steering wheel X X X Rother year-wirt dat (ex-shrif) X X X Iduninated front varity mirrors X X X 66-04 spit fielding rear seat X X X Aluminum proteids X X X CMONORY CONCENTRY X X X Policy Colon LCD touchcreen X X X 6 Speakers X X X Apple cartispillar A, android Auto* X X X Subetooth' connectivity** X X X Steering wheel maunted admid & cruse controls X X X Padde shifters mounted on steering wheel Regenerative brackwell X X Padde shifters mounted on steering wheel X X X I x USB input X X X Abracy Sampling port X <td>INTERIOR FEATURES</td> <td></td> <td></td>	INTERIOR FEATURES		
Height adjustable driver's seat X X Height adjustable front passenger's seat X X Occapouals leather settering wheel X X Rota up gear shift did fer-shift) X X Ulturillated forct waitly mirrors X X Gold Squift deling force are ast X X Aluminous dolfs X X Aluminous dolfs X X Aluminous dolfs X X Aluminous dolfs and the shift of convertified of the shift	Seating configuration	5 se	eats
Melgint adjustable front passenger's seat X X Composite leather steering wheel X X Ratatuagear shift of lear-shift) X X Bluminated front vanity mirors X X 60-00 spill folding rear seat X X Mulminium pedias X X Colling to Construict Const	Seat trim	Composite le	eather + cloth
Composite leather stearing wheel X X Rotany gear shift call (es-pirt) X X Biuminated front vanity mirrors X X 60-40 split folding rear leat X X Aluminum pedals X X Colleger & CONVENIENCE V X Radio with MP3 compatible audio player X X 7' Colour LOD truckscreen X X 8 plet carling "** Android Auto"* X X 8 plet carling "** Android Auto"* X X 8 plet carling infector connectivity "** X X Padies shifters munted and a struic controls X X Padies shifters munted and sterring wheel Regenerative mode select Charging indication of desbboard X X 1x USB input X X Smark key with engine start / stop button X X Prote index select X X Face air vents X X Rear air vents X X Protection front & rear is air vents	Height adjustable driver's seat	X	X
Retary gear shift dial (e-shift) X X Illuminated front vonity mirrors X X 640 Salt Stolling rear seat X X Auminium pedals X X Contractory Illuminate pedals X X Contractory Illuminate pedals X X Color LCO butchscreen X X 7 Color LCO butchscreen X X 5 Speakers X X Buetooth* connectivity** X X Bluetooth* connectivity** X X Bluetooth* connectivity** X X Steering wheel mounted audio & cruise controls X X Steering wheel mounted audio & cruise controls X X Steering wheel mounted audio & cruise controls X X Steering wheel mounted audio & cruise controls X X Steering wheel mounted audio & cruise controls X X Steering wheel mounted audio & cruise controls X X L X BB changing port X X	Height adjustable front passenger's seat	X	X
Illuminated front vanity mirrors	Composite leather steering wheel	X	X
60 db split folding rear seat X X Aluminum pedals X X COMFORT CONVENIECE X X Padio with MP3 compatible audio plager X X X 7° Cajour LCD tourbscreen X X X 6 Speakers X X X Apple Carplay™* Sandroid Auto™* X X X Bluetooth* connectivity™* X X X Steering wheel mounted audio & cruise controls X X X Steering wheel mounted audio & cruise controls X X X Steering wheel mounted out do & cruise controls X X X Steering wheel mounted out do & cruise controls X X X Steering wheel mounted out do & cruise controls X X X Steering wheel mounted out do & cruise controls X X X A Usual gland plant of the application of dashboard X X X X X X X X X X X X	Rotary gear shift dial (e-shift)	X	X
Aluminium pedals X X COMORENEADE	Illuminated front vanity mirrors	X	X
COMPORT & CONVENIENCE Radio with MP3 compatible audio player X	60:40 split folding rear seat	Х	X
Radio with MP3 compatible audio player X X 7° Colour LCD tour Screen X X X 6 Speakers X X X Apple CarPlaylin's Android Autorin's X X X Bluetooth' connectivity*** X X X Paddie shifters mounted and secring wheel X X X Paddie shifters mounted on steering wheel Regenerative***mode select X X 1 x USB input X X X 2 x USB sharign port X X X Sharing sharing start / stop button X X X Air conditioning X X X Rear al (west, start / stop button X X X Remain yents X X X Remote central lock	Aluminium pedals	X	X
7**Colour LD touchscreen X X 6 Spakers X X Apple CarPlayl™ & Android Auto™ X X Blueboth* connectivitig*** X X Steering wheel mounted audio & cruise controls X X Steering wheel mounted audio & cruise controls X X Paddes hifters mounted on steering wheel X X 1 VSB Input X X 1 VSB Input X X 1 VSB Input X X 2 VSB charging port Front & Incurrence oncole 5 Variety with engine start / stop button X X 6 Yac conditioning Ecot. Ecot	COMFORT & CONVENIENCE		
6 Speakers X X Apple Carthajy™-8. Android Auto™-8 X X Bluetooth* connectivity™-1 X X Steering wheel mounted auto & cruise controis X X Paddle shifters mounted on steering wheel Regenerative book select Charging indicator on dashboard X X 1 x USB input X X 2 x USB charging port Front incurreconsole Smart key with engine start / stop button X X Arc conditioning X X Arc residuationing Climate techniconsole Rear air vents X X Remote central locking X X Power windows (front & rear) X X Electrotromic rearview mirror X X Rain sensing wipers X X Auto individed gastem X X Auto individed gastem X X Value individed gastem X X Overall leight 4.335 m Overall leight 4.375 mm <td>Radio with MP3 compatible audio player</td> <td>Х</td> <td>X</td>	Radio with MP3 compatible audio player	Х	X
Apple CarPlagi™ & Android Auto™ X X Bluetooth* connectivity** X X Steering wheel mounted audio & cruise controls X X Paddle shifters mounted on steering wheel Regenerative buttom ond select Larging indicator on dashboard X X 1 x USB input X X 2 x USB charging port Front & in the test console Smart key with engine start / stop button X X Air conditioning Climate test Sport Rear air vents X X Remote central locking X X Remote central locking X X Power windows (front & rear) X X Restrict orbinal rearriew mirror X X Auto window defog system X X Auto light control X X Instrument cluster X X Owerall length 4.37 X Overall width 1.570 mm (with roof rails) Overall length 1.570 mm (with roof rails)	7" Colour LCD touchscreen	X	X
Bluetooth* connectivity*** X X Steering wheel mounted audio & cruise controls X X Paddle shifters mounted on steering wheel Regenerative branches and saleband X v SB input X X X v SB input X X 2 v USB charging port Front & inverse X X Smart key with engine start / stop button X X X Drive mode select Ecco*, ECo, NCO, NCO, NCO, NCO, NCO, NCO, NCO, NCO	6 Speakers	X	X
Scering wheel mounted audio & cruise controls X X Paddle shifters mounted on steering wheel Regenerative braken mode select Charging indicator on dashboard X X 1 x USB input X X 2 x USB charging port Front & created to the console Smark key with engine start / stop button X X Drive mode select Eco+ Eco, Normal & Sport Air conditioning Climate control Rear air vents X X Remote central locking X X Power windows (front & rear) X X Electrochromic rearview mirror X X Rain sensing wipers X X Auto light control X X Instrument cluster Thr TLLCD spervision Differsions Differsions Differsions Differsions Differsions Differsions Differsions Differsions Differsions	Apple CarPlay™∞ & Android Auto™	X	X
Paddle shifters mounted on steering wheel Regenerative b Image and the properties of the properti	Bluetooth® connectivity***	Х	X
Charging indicator on dashboard X X 1 x USB input X X 2 x USB charging port Front & in zerosole Smark key with engine start / stop button X Ecc+, Ecc, Nover Sport Drive mode select Carrier to Sport Air conditioning Carrier to Sport Rear air vents X X Remote central locking X X Power windows (front & rear) X X X Rein sensing wipers X <td< td=""><td>Steering wheel mounted audio & cruise controls</td><td>X</td><td>X</td></td<>	Steering wheel mounted audio & cruise controls	X	X
1 x USB input X X 2 x USB charging port Front & inserter console 5 mart key with engine start / stop button X X Drive mode select Eco*, Eco, *Eco, *Eco, *Eco *Eco *Eco *Eco *Eco *Eco *Eco *Eco	Paddle shifters mounted on steering wheel	Regenerative braking mode select	
2 x USB charging port Front & in zero-insole Smart key with engine start / stop button X X Drive mode select Ecc+, Eco, Nac Sport Air conditioning Climate zero. Rear air vents X	Charging indicator on dashboard	X	X
Smart key with engine start / stop button X X Drive mode select Eco+, Eco, North at Sport Air conditioning Climate totrol Rear air vents X X Remote central locking X X Power windows (front & rear) X X Electrochromic rearview mirror X X Rain sensing wipers X X Auto light control X X Instrument cluster X X DIMENSIONS Overall width 4,375 mm Overall width 1,570 mm (with roof rails) Overall height 1,570 mm (with roof rails) Wheelbase 2,700 mm Minimum ground clearance 155 me Cargo capacity (VDA) 451 Lear seats up / 1,270 kg 1,737 kg / 1,791 kg	1 x USB input	X	X
Drive mode select Eco+, Eco, Nomal & Sport Air conditioning Climate ontrol Rear air vents X X Remote central locking X X Power windows (front & rear) X X Electrochromic rearview mirror X X Rain sensing wipers X X Auto window defog system X X Auto light control X X Instrument cluster 3° TFT LCD supervision DIMENSIONS X X Overall leight 4,375 mm S Overall width 4,375 mm S Overall height 1,570 mm (with roof rails) Wheelbase 2,700 mm Minimum ground clearance 155 mm Cargo capacity (VDA) 451 L rear seats up / 1,405 L rear seats down Kerb weight min / max 1,572 kg / 1,646 kg 1,273 kg / 1,791 kg	2 x USB charging port	Front & in ce	entre console
Air conditioning Climate-orthology Rear air vents X X Remote central locking X X Power windows (front & rear) X X Electrochromic rearview mirror X X Rain sensing wipers X X Auto window defog system X X Auto light control X X Instrument cluster X X Overall length 4,37 mm The color of rails Overall length 1,570 mm (where of rails) The color of rails Wheelbase 2,70 mm The color of rails Minimum ground clearance 155 L rear seats down Gargo capacity (VDA) 451 L rear seats up / 1,574 kg / 1,791 kg Kerb weight min / max 1,532 kg / 1,646 kg 1,737 kg / 1,791 kg	Smart key with engine start / stop button	Х	X
Rear air vents X X Remote central locking X X Power windows (front & rear) X X Electrochromic rearview mirror X X Rain sensing wipers X X Auto window defog system X X Auto light control X X instrument cluster "T"TFTLCU Supervision DIMENSIONS Overall length 4.375 mm Overall width 1.570 mm (with roof rails) Overall height 2.700 mm (with roof rails) Wheelbase 2.700 mm Minimum ground clearance 1550 mm Cargo capacity (VDA) 451 L rear seats up 1, 1,752 kg / 1,791 kg Kerb weight min / max 1,737 kg / 1,791 kg	Drive mode select	Eco+, Eco, Normal & Sport	
Remote central locking X X Power windows (front & rear) X X Electrochromic rearview mirror X X Rain sensing wipers X X Auto window defog system X X Auto light control X X Instrument cluster T° TFT LCD supervision DIMENSIONS Overall length 4,375 mm Overall width 1,805 mm Overall height 1,570 mm (with roof rails) Wheelbase 2,700 mm Minimum ground clearance 155 mm Cargo capacitty (VDA) 451 L rear seats up / 1,573 kg / 1,791 kg Kerb weight min / max 1,573 kg / 1,791 kg	Air conditioning	Climate control	
Power windows (front & rear) X X Electrochromic rearview mirror X X Rain sensing wipers X X Auto window defog system X X Auto light control X X Instrument cluster 7" TFT LCD supervision DIMENSIONS Overall length 4,375 mm Overall width 1,805 mm Overall height 1,570 mm (with roof rails) Wheelbase 2,700 mm Minimum ground clearance 155 mm Cargo capacity (VDA) 451 L rear seats up / 1,456 kg 1,737 kg / 1,791 kg Kerb weight min / max 1,592 kg / 1,646 kg 1,737 kg / 1,791 kg	Rear air vents	X	X
Electrochromic rearview mirror X X Rain sensing wipers X X Auto window defog system X X Auto light control X X Instrument cluster 7" TFT LCD supervision DIMENSIONS Overall length 4,375 mm Overall width 1,570 mm (with roof rails) Overall height 1,570 mm (with roof rails) Wheelbase 2,70 mm Minimum ground clearance 155 L rear seats up / 1,55 L rear seats down Kerb weight min / max 1,592 kg / 1,646 kg 1,737 kg / 1,791 kg	Remote central locking	X	X
Rain sensing wipers X X Auto window defog system X X Auto light control X X Instrument cluster T"TFT LCD supervision DIMENSIONS Overall length 4,375 mm Overall width 1,805 mm Overall height 1,570 mm (with roof rails) Wheelbase 2,700 mm Minimum ground clearance 155 mm Cargo capacity (VDA) 451 L rear seats up / J. E rear seats down Kerb weight min / max 1,592 kg / 1,646 kg 1,737 kg / 1,791 kg	Power windows (front & rear)	X	X
Auto window defog system X X Auto light control X X Instrument cluster 7" TFT LCD supervision DIMENSIONS Overall length 4,375 mm Overall width 1,805 mm Overall height 1,570 mm (with roof rails) Wheelbase 2,700 mm Minimum ground clearance 155 mm Cargo capacity (VDA) 451 L rear seats up / 1,405 L rear seats down Kerb weight min / max 1,592 kg / 1,646 kg 1,737 kg / 1,791 kg	Electrochromic rearview mirror	X	X
Auto light control X X Instrument cluster 7" TFT LCD □ Jervision DIMENSIONS Overall length 4,375 mm Overall width 1,805 mm Overall height 1,570 mm (with roof rails) Wheelbase 2,700 mm Minimum ground clearance 155 mm Cargo capacity (VDA) 451 L rear seats up / 1,55 L rear seats down Kerb weight min / max 1,592 kg / 1,646 kg 1,737 kg / 1,791 kg	Rain sensing wipers	X	X
DIMENSIONS 7" TFT LCD supervision Overall length 4.375 mm Overall width 1,805 mm Overall height 1,570 mm (with roof rails) Wheelbase 2,700 mm Minimum ground clearance 155 mm Cargo capacity (VDA) 451 L rear seats up / 1,405 L rear seats down Kerb weight min / max 1,592 kg / 1,646 kg 1,737 kg / 1,791 kg	Auto window defog system	X	X
DIMENSIONS Overall length 4,375 mm Overall width 1,805 mm Overall height 1,570 mm (with roof rails) Wheelbase 2,700 mm Minimum ground clearance 155 mm Cargo capacity (VDA) 451 L rear seats up / 1,405 L rear seats down Kerb weight min / max 1,592 kg / 1,646 kg 1,737 kg / 1,791 kg	Auto light control	Х	X
Overall length 4,375 mm Overall width 1,805 mm Overall height 1,570 mm (with roof rails) Wheelbase 2,700 mm Minimum ground clearance 155 mm Cargo capacity (VDA) 451 L rear seats up / 1,454 L rear seats down Kerb weight min / max 1,592 kg / 1,646 kg 1,737 kg / 1,791 kg	Instrument cluster	7" TFT LCD	supervision
Overall width 1,805 mm Overall height 1,570 mm (with roof rails) Wheelbase 2,700 mm Minimum ground clearance 155 mm Cargo capacity (VDA) 451 L rear seats up / 1,405 L rear seats down Kerb weight min / max 1,592 kg / 1,646 kg 1,737 kg / 1,791 kg	DIMENSIONS		
Overall height 1,570 mm (with roof rails) Wheelbase 2,700 mm Minimum ground clearance 155 mm Cargo capacity (VDA) 451 L rear seats up / 1,405 L rear seats down Kerb weight min / max 1,592 kg / 1,646 kg 1,737 kg / 1,791 kg	Overall length	4,375 mm	
Wheelbase 2,700 mm Minimum ground clearance 155 mm Cargo capacity (VDA) 451 L rear seats up / 1,405 L rear seats down Kerb weight min / max 1,592 kg / 1,646 kg 1,737 kg / 1,791 kg	Overall width		
Minimum ground clearance 155 mm Cargo capacity (VDA) 451 L rear seats up / 1,405 L rear seats down Kerb weight min / max 1,592 kg / 1,646 kg 1,737 kg / 1,791 kg	Overall height		
Cargo capacity (VDA) 451 L rear seats up / 1,405 L rear seats down Kerb weight min / max 1,592 kg / 1,646 kg 1,737 kg / 1,791 kg		2,700 mm	
Kerb weight min / max 1,592 kg / 1,646 kg 1,737 kg / 1,791 kg		155 mm	
	Cargo capacity (VDA)		
Towing capacity Not rated or recommended for towing	-		
	Towing capacity	Not rated or recom	mended for towing

- Specifications, equipment and colours shown in this brochure are subject to change without notice or obligation.

 Driving range figures standards are calculated using the World Harmonised Light Vehicle Test Procedure (WLTP). Actual results achieved will differ according to operating conditions and driving style.

 Charging times of the high voltage battery may vary according to the condition and durability of the high voltage battery, charger specifications and ambient temperature.

 Not all handsets may be compatible.

 Apple CarPlaylim *Requires an iPhone 5 or later and it is recommended to always update your iPhone to the latest iOS release. Use the Apple Lightning® cable provided with your phone or, Apple certified Lightning cable.

 Android Auto **Requires an Android phone with Android 5.0 Lollipop or higher. It is recommended to always update your phone to the latest OS release. Use the USB cable provided with your phone.

 Kia Motors cannot guarantee continued compatibility.

